



IN221000588V01\_UK

**84B-503**



1. Do not discard any packaging until you have checked that you have all parts and fittings.
2. Ensure you have enough room for safe assembly. Ensure children and pets are kept out of the assembly area.
3. We suggest you carry out the assembly on a soft surface like a carpet or the opened box, so as to avoid scratching the paint.
4. Please note that this products is made of cast metal, you may find some unevenness on the surface which entirely normal for cast metal and is not a defect.
  - (1). Always lift and carry instead of dragging as dragging can cause damage.
  - (2). Clean with warm water and a lint free cloth.
  - (3). Do not use abrasive or corrosive cleaners.



**IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY**

**ASSEMBLY INSTRUCTION**

**Dear customer,**

Thank you for purchasing this product. So that your appliance serves you well, please read all the instructions in this user's manual. If you have any questions, please contact our customer care center.

**Our contact details are below:**

| Country |  Phone |  Email |
|---------|---|---|
| UK      | 0044-800-240-4004   | enquiries@mhstar.co.uk  |

**IMPORTER ADDRESS:**

MH STAR UK LTD  
Unit 27, Perivale Park,  
Horsenden lane South  
Perivale, UB6 7RH

MADE IN CHINA

# Garden Chairs

## **IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY**

**Only for domestic use**

### **Use tips:**

- \* Maximum Weight Capacity of Chair: 220 Kg
- \* Put the chair stably on a flat floor.
- \* Mount the garden chairs in the shelter of the weather.
- \* Stay away from open flames.
- \* Don't hang anything in the structure.
- \* Avoid the overload at the anchors/structure.
- \* It is advised that don't stay on the chairs when there is a storm.
- \* Do not use in adverse weather condition and cover furniture when not in use.

### **Precautions before assembly:**

- \* Prepare a clean and dry mounting area.
- \* Verify that the product is not damaged.
- \* Check that none of the pieces are missing.

### **Maintenance:**

- \* Clean with a soft fabric.
- \* Regularly remove leaves and / or water collected on the canvas.
- \* Check the chair regularly.




















### **Storage conditions:**

\*The fabric should be stored completely dry, in a clean and dry place to avoid the risks of mold.


**Caution with the risks of pinching or cuts during assembly.**

**The manufacturer declines all responsibility in case of damages due to a bad installation or due to weather.**

# PARTS LIST

| Part No. | Description      | Part picture  | Qty | Part No.                                     | Description      | Part Picture  | Qty.            |
|----------|------------------|---|-----|--|------------------|---|-----------------|
| ①        | Backrest         |    | 1   | A  | M8 Flat washer   |    | 11<br>+1(spare) |
|          |                  |   |     | B  | M8 Spring washer |    | 11<br>+1(spare) |
| ②        | Chair Seat       |    | 1   | C  | M8 Nuts          |    | 11<br>+1(spare) |
|          |                  |   |     | D  | M6*30 Stud       |    | 2               |
| ③        | Front Chair Legs |    | 2   | E  | M6 Flat washer   |    | 6<br>+1(spare)  |
| ④        | Back Chair Legs  |  | 2   | F  | M6 Spring washer |  | 6<br>+1(spare)  |
| ⑤        | Right Arm        |  | 1   | G  | M6 Nuts          |  | 6<br>+1(spare)  |
|          |                  |   |     | H  | M6*25 Stud       |  | 4               |
| ⑥        | Left Arm         |  | 1   | I  | M6 protect hats  |  | 6               |
|          |                  |   |     | J  | M8 protect hats  |  | 11              |
| ⑦        | Screwdriver      |  | 1   | ⑧  | Wrench           |  | 1               |
| L        | Rubber Leg Pad   |  | 4   | Note:Rubber Leg Pad L have been preassembled |                  |   |                 |

01



Place all parts on a clean and soft surface.

02




Attach the front and back Legs (③,④) to the Studs on the Chair Seat (②) using washers and Nuts (A,B,C). Tighten the Nuts using the wrench.

03



Attach the Backrest (①) to the Chair Seat (②) using Washers and Nuts (A,B,C). Tighten the Nuts using the wrench. DO NOT over tighten.

04



Attach the Right and Left Arm (⑤,⑥), using the studs (D) and washer, nuts (E,F,G), DO NOT over tighten. and then using Studs (H) and Washers and Nuts (E,F,G). Adjust to a correct place, then tighten D&H.

05



Adjust the pre-installed Rubber Pad (L) until the chair is level with the ground, Upon completion of full assembly and bolted up-all screws can be tightened down. Tighten all the nuts and cover them with nut caps(I&J).