

INag028V01_UK

AA0-057



Motorcycle Wheel Chock

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY

ASSEMBLY INSTRUCTION

Accessories

- 1. 2PCS Base frame
- 2. 1PC Front wheel stop
- 3. 1PC Wheel cradle
- 4. 1PC Long pin
- 5. 2PCS R-pin
- 6. 4PCS Rubber end caps
- 7. 4PCS Washer
- 8. 4PCS Nut
- 9. 4PCS Screw



Produce Feature:

Net weight: 7.9 KGS

Product size: 73(L) x 45(W) x 43.5(H) CM

Product Description

- Easy to assemble
- · Adjustable cradle stop to fit most motorcycle front wheels
- · With 3 adjustment positions and will fits front motorcycle wheel sizes from 17"-21"
- Accommodates most wheels 3"-5"wide
- · Pre-drilled holes for truck and trailer mounting
- Fully adjustable wheel-locking system
- · Holds bike upright for transporting, maintenance and storage
- · Free-standing can be mounted to floor, truck or trailer bed
- Powder coat protects the stand from rust and corrosion
- Rubber end caps prevent surface scratches

Please Note:

- 1. Always keep this stand away from children.
- 2. Check the stand is in good condition and nuts tighten before using it.
- 3. Tie down straps are required for hauling your motorcycle and are recommended for upright storage.
- 4. Tie down straps and bolts for mounting on truck or trailerare are not included.

